

## [Signal Transduction and Carbohydrate Metabolic Pathways]

1. Alberts AS, Bouquin N, Johnston LH, Treisman R (1998). "Analysis of RhoA-binding proteins reveals an interaction domain conserved in heterotrimeric G protein beta subunits and the yeast response regulator protein Skn7." *J Biol Chem* **273**(15): 8616-8622.
2. Albertyn J, Hohmann S, Thevelein JM, Prior BA (1994). "GPD1, which encodes glycerol-3-phosphate dehydrogenase, is essential for growth under osmotic stress in *Saccharomyces cerevisiae*, and its expression is regulated by the high-osmolarity glycerol response pathway." *Mol Cell Biol* **14**(6): 4135-4144.
3. Alepuz PM, Jovanovic A, Reiser V, Ammerer G (2001). "Stress-induced map kinase Hog1 is part of transcription activation complexes." *Mol Cell* **7**(4): 767-777.
4. Ansell R, Granath K, Hohmann S, Thevelein JM, Adler L (1997). "The two isoenzymes for yeast NAD<sup>+</sup>-dependent glycerol 3-phosphate dehydrogenase encoded by GPD1 and GPD2 have distinct roles in osmoadaptation and redox regulation." *Embo J* **16**(9): 2179-2187.
5. Apanovitch DM, Slep KC, Sigler PB, Dohlman HG (1998). "Sst2 is a GTPase-activating protein for Gpa1: purification and characterization of a cognate RGS-Galpha protein pair in yeast." *Biochemistry* **37**(14): 4815-4822.
6. Aramburu J, Rao A, Klee CB (2000). "Calcineurin: from structure to function." *Curr Top Cell Regul* **36**: 237-295.
7. Ash J, Wu C, Larocque R, Jamal M, Stevens W, Osborne M, Thomas DY, Whiteway M (2003). "Genetic analysis of the interface between Cdc42p and the CRIB domain of Ste20p in *Saccharomyces cerevisiae*." *Genetics* **163**(1): 9-20.
8. Barbet NC, Schneider U, Helliwell SB, Stansfield I, Tuite MF, Hall MN (1996). "TOR controls translation initiation and early G1 progression in yeast." *Mol Biol Cell* **7**(1): 25-42.
9. Bardwell L (2005). "A walk-through of the yeast mating pheromone response pathway." *Peptides* **26**(2): 339-350.
10. Bardwell L, Cook JG, Chang EC, Cairns BR, Thorner J (1996). "Signaling in the yeast pheromone response pathway: specific and high-affinity interaction of the mitogen-activated protein (MAP) kinases Kss1 and Fus3 with the upstream MAP kinase kinase Ste7." *Mol Cell Biol* **16**(7): 3637-3650.
11. Bardwell L, Cook JG, Voora D, Baggott DM, Martinez AR, Thorner J (1998a). "Repression of yeast Ste12 transcription factor by direct binding of unphosphorylated Kss1 MAPK and its regulation by the Ste7 MEK." *Genes Dev* **12**(18): 2887-2898.
12. Bardwell L, Cook JG, Zhu-Shimoni JX, Voora D, Thorner J (1998b). "Differential regulation of transcription: repression by unactivated mitogen-activated protein kinase Kss1 requires the Dig1 and Dig2 proteins." *Proc Natl Acad Sci U S A* **95**(26): 15400-15405.
13. Batlle M, Lu A, Green DA, Xue Y, Hirsch JP (2003). "Krh1p and Krh2p act downstream of the Gpa2p G(alpha) subunit to negatively regulate haploid invasive growth." *J Cell Sci* **116**(Pt 4): 701-710.

14. Beck T, Hall MN (1999). "The TOR signalling pathway controls nuclear localization of nutrient-regulated transcription factors." *Nature* **402**(6762): 689-692.
15. Bertram PG, Choi JH, Carvalho J, Ai W, Zeng C, Chan TF, Zheng XF (2000). "Tripartite regulation of Gln3p by TOR, Ure2p, and phosphatases." *J Biol Chem* **275**(46): 35727-35733.
16. Bilsland-Marchesan E, Arino J, Saito H, Sunnerhagen P, Posas F (2000). "Rck2 kinase is a substrate for the osmotic stress-activated mitogen-activated protein kinase Hog1." *Mol Cell Biol* **20**(11): 3887-3895.
17. Blinder D, Coschigano PW, Magasanik B (1996). "Interaction of the GATA factor Gln3p with the nitrogen regulator Ure2p in *Saccharomyces cerevisiae*." *J Bacteriol* **178**(15): 4734-4736.
18. Blomberg A (2000). "Metabolic surprises in *Saccharomyces cerevisiae* during adaptation to saline conditions: questions, some answers and a model." *FEMS Microbiol Lett* **182**(1): 1-8.
19. Blumer KJ, Thorner J (1991). "Receptor-G protein signaling in yeast." *Annu Rev Physiol* **53**: 37-57.
20. Boustany LM, Cyert MS (2002). "Calcineurin-dependent regulation of Crz1p nuclear export requires Msn5p and a conserved calcineurin docking site." *Genes Dev* **16**(5): 608-619.
21. Breitzkreutz A, Boucher L, Tyers M (2001). "MAPK specificity in the yeast pheromone response independent of transcriptional activation." *Curr Biol* **11**(16): 1266-1271.
22. Burchett SA, Flanary P, Aston C, Jiang L, Young KH, Uetz P, Fields S, Dohlman HG (2002). "Regulation of stress response signaling by the N-terminal dishevelled/EGL-10/pleckstrin domain of Sst2, a regulator of G protein signaling in *Saccharomyces cerevisiae*." *J Biol Chem* **277**(25): 22156-22167.
23. Butty AC, Perrinjaquet N, Petit A, Jaquenoud M, Segall JE, Hofmann K, Zwahlen C, Peter M (2002). "A positive feedback loop stabilizes the guanine-nucleotide exchange factor Cdc24 at sites of polarization." *Embo J* **21**(7): 1565-1576.
24. Butty AC, Pryciak PM, Huang LS, Herskowitz I, Peter M (1998). "The role of Far1p in linking the heterotrimeric G protein to polarity establishment proteins during yeast mating." *Science* **282**(5393): 1511-1516.
25. Carvalho J, Bertram PG, Wentz SR, Zheng XF (2001). "Phosphorylation regulates the interaction between Gln3p and the nuclear import factor Srp1p." *J Biol Chem* **276**(27): 25359-25365.
26. Chang C, Stewart RC (1998). "The two-component system. Regulation of diverse signaling pathways in prokaryotes and eukaryotes." *Plant Physiol* **117**(3): 723-731.
27. Chen GC, Zheng L, Chan CS (1996). "The LIM domain-containing Dbm1 GTPase-activating protein is required for normal cellular morphogenesis in *Saccharomyces cerevisiae*." *Mol Cell Biol* **16**(4): 1376-1390.
28. Chen T, Kurjan J (1997). "*Saccharomyces cerevisiae* Mpt5p interacts with Sst2p and plays roles in pheromone sensitivity and recovery from pheromone arrest." *Mol Cell Biol* **17**(6): 3429-3439.
29. Choi KY, Satterberg B, Lyons DM, Elion EA (1994). "Ste5 tethers multiple protein kinases in the MAP kinase cascade required for mating in *S. cerevisiae*." *Cell* **78**(3): 499-512.

30. Coccetti P, Tisi R, Martegani E, Souza Teixeira L, Lopes Brandao R, de Miranda Castro I, Thevelein JM (1998). "The PLC1 encoded phospholipase C in the yeast *Saccharomyces cerevisiae* is essential for glucose-induced phosphatidylinositol turnover and activation of plasma membrane H<sup>+</sup>-ATPase." *Biochim Biophys Acta* **1405**(1-3): 147-154.
31. Coffman JA, Rai R, Loprete DM, Cunningham T, Svetlov V, Cooper TG (1997). "Cross regulation of four GATA factors that control nitrogen catabolic gene expression in *Saccharomyces cerevisiae*." *J Bacteriol* **179**(11): 3416-3429.
32. Cook JG, Bardwell L, Kron SJ, Thorner J (1996). "Two novel targets of the MAP kinase Kss1 are negative regulators of invasive growth in the yeast *Saccharomyces cerevisiae*." *Genes Dev* **10**(22): 2831-2848.
33. Cooper TG (2002). "Transmitting the signal of excess nitrogen in *Saccharomyces cerevisiae* from the Tor proteins to the GATA factors: connecting the dots." *FEMS Microbiol Rev* **26**(3): 223-238.
34. Crespo JL, Hall MN (2002). "Elucidating TOR signaling and rapamycin action: lessons from *Saccharomyces cerevisiae*." *Microbiol Mol Biol Rev* **66**(4): 579-591, table of contents.
35. Cunningham KW, Fink GR (1996). "Calcineurin inhibits VCX1-dependent H<sup>+</sup>/Ca<sup>2+</sup> exchange and induces Ca<sup>2+</sup> ATPases in *Saccharomyces cerevisiae*." *Mol Cell Biol* **16**(5): 2226-2237.
36. Cyert MS (2001). "Genetic analysis of calmodulin and its targets in *Saccharomyces cerevisiae*." *Annu Rev Genet* **35**: 647-672.
37. Cyert MS (2003). "Calcineurin signaling in *Saccharomyces cerevisiae*: how yeast go crazy in response to stress." *Biochem Biophys Res Commun* **311**(4): 1143-1150.
38. Delley PA, Hall MN (1999). "Cell wall stress depolarizes cell growth via hyperactivation of RHO1." *J Cell Biol* **147**(1): 163-174.
39. DeVit MJ, Johnston M (1999). "The nuclear exportin Msn5 is required for nuclear export of the Mig1 glucose repressor of *Saccharomyces cerevisiae*." *Curr Biol* **9**(21): 1231-1241.
40. Dohlman HG (2002). "G proteins and pheromone signaling." *Annu Rev Physiol* **64**: 129-152.
41. Dohlman HG, Goldsmith P, Spiegel AM, Thorner J (1993). "Pheromone action regulates G-protein alpha-subunit myristoylation in the yeast *Saccharomyces cerevisiae*." *Proc Natl Acad Sci U S A* **90**(20): 9688-9692.
42. Dohlman HG, Thorner J, Caron MG, Lefkowitz RJ (1991). "Model systems for the study of seven-transmembrane-segment receptors." *Annu Rev Biochem* **60**: 653-688.
43. Dohlman HG, Thorner JW (2001). "Regulation of G protein-initiated signal transduction in yeast: paradigms and principles." *Annu Rev Biochem* **70**: 703-754.
44. Doi K, Gartner A, Ammerer G, Errede B, Shinkawa H, Sugimoto K, Matsumoto K (1994). "MSG5, a novel protein phosphatase promotes adaptation to pheromone response in *S. cerevisiae*." *Embo J* **13**(1): 61-70.
45. Dowell SJ, Bishop AL, Dyos SL, Brown AJ, Whiteway MS (1998). "Mapping of a yeast G protein betagamma signaling interaction." *Genetics* **150**(4): 1407-1417.
46. Drogen F, O'Rourke SM, Stucke VM, Jaquenoud M, Neiman AM, Peter M (2000). "Phosphorylation of the MEKK Ste11p by the PAK-like kinase Ste20p is required for MAP

- kinase signaling in vivo." *Curr Biol* **10**(11): 630-639.
47. Edskes HK, Hanover JA, Wickner RB (1999). "Mks1p is a regulator of nitrogen catabolism upstream of Ure2p in *Saccharomyces cerevisiae*." *Genetics* **153**(2): 585-594.
  48. Edskes HK, Wickner RB (2000). "A protein required for prion generation: [URE3] induction requires the Ras-regulated Mks1 protein." *Proc Natl Acad Sci U S A* **97**(12): 6625-6629.
  49. Eriksson P, Andre L, Ansell R, Blomberg A, Adler L (1995). "Cloning and characterization of GPD2, a second gene encoding sn-glycerol 3-phosphate dehydrogenase (NAD<sup>+</sup>) in *Saccharomyces cerevisiae*, and its comparison with GPD1." *Mol Microbiol* **17**(1): 95-107.
  50. Errede B, Gartner A, Zhou Z, Nasmyth K, Ammerer G (1993). "MAP kinase-related FUS3 from *S. cerevisiae* is activated by STE7 in vitro." *Nature* **362**(6417): 261-264.
  51. Esch RK, Errede B (2002). "Pheromone induction promotes Ste11 degradation through a MAPK feedback and ubiquitin-dependent mechanism." *Proc Natl Acad Sci U S A* **99**(14): 9160-9165.
  52. Evangelista M, Blundell K, Longtine MS, Chow CJ, Adames N, Pringle JR, Peter M, Boone C (1997). "Bni1p, a yeast formin linking cdc42p and the actin cytoskeleton during polarized morphogenesis." *Science* **276**(5309): 118-122.
  53. Feng Y, Davis NG (2000a). "Akr1p and the type I casein kinases act prior to the ubiquitination step of yeast endocytosis: Akr1p is required for kinase localization to the plasma membrane." *Mol Cell Biol* **20**(14): 5350-5359.
  54. Feng Y, Davis NG (2000b). "Feedback phosphorylation of the yeast a-factor receptor requires activation of the downstream signaling pathway from G protein through mitogen-activated protein kinase." *Mol Cell Biol* **20**(2): 563-574.
  55. Feng Y, Song LY, Kincaid E, Mahanty SK, Elion EA (1998). "Functional binding between Gbeta and the LIM domain of Ste5 is required to activate the MEKK Ste11." *Curr Biol* **8**(5): 267-278.
  56. Ferrigno P, Posas F, Koepp D, Saito H, Silver PA (1998). "Regulated nucleo/cytoplasmic exchange of HOG1 MAPK requires the importin beta homologs NMD5 and XPO1." *Embo J* **17**(19): 5606-5614.
  57. Flanary PL, DiBello PR, Estrada P, Dohlman HG (2000). "Functional analysis of Plp1 and Plp2, two homologues of phosducin in yeast." *J Biol Chem* **275**(24): 18462-18469.
  58. Flick KM, Spielewoy N, Kalashnikova TI, Guaderrama M, Zhu Q, Chang HC, Wittenberg C (2003). "Grr1-dependent inactivation of Mth1 mediates glucose-induced dissociation of Rgt1 from HXT gene promoters." *Mol Biol Cell* **14**(8): 3230-3241.
  59. Fujiwara T, Tanaka K, Inoue E, Kikyo M, Takai Y (1999). "Bni1p regulates microtubule-dependent nuclear migration through the actin cytoskeleton in *Saccharomyces cerevisiae*." *Mol Cell Biol* **19**(12): 8016-8027.
  60. Garrison TR, Zhang Y, Pausch M, Apanovitch D, Aebersold R, Dohlman HG (1999). "Feedback phosphorylation of an RGS protein by MAP kinase in yeast." *J Biol Chem* **274**(51): 36387-36391.
  61. Gartner A, Jovanovic A, Jeoung DI, Bourlat S, Cross FR, Ammerer G (1998).

- "Pheromone-dependent G1 cell cycle arrest requires Far1 phosphorylation, but may not involve inhibition of Cdc28-Cln2 kinase, in vivo." *Mol Cell Biol* **18**(7): 3681-3691.
62. Gartner A, Nasmyth K, Ammerer G (1992). "Signal transduction in *Saccharomyces cerevisiae* requires tyrosine and threonine phosphorylation of FUS3 and KSS1." *Genes Dev* **6**(7): 1280-1292.
63. Gorner W, Durchschlag E, Martinez-Pastor MT, Estruch F, Ammerer G, Hamilton B, Ruis H, Schuller C (1998). "Nuclear localization of the C2H2 zinc finger protein Msn2p is regulated by stress and protein kinase A activity." *Genes Dev* **12**(4): 586-597.
64. Gray JV, Ogas JP, Kamada Y, Stone M, Levin DE, Herskowitz I (1997). "A role for the Pkc1 MAP kinase pathway of *Saccharomyces cerevisiae* in bud emergence and identification of a putative upstream regulator." *Embo J* **16**(16): 4924-4937.
65. Guo W, Tamanoi F, Novick P (2001). "Spatial regulation of the exocyst complex by Rho1 GTPase." *Nat Cell Biol* **3**(4): 353-360.
66. Hagen DC, McCaffrey G, Sprague GF, Jr. (1991). "Pheromone response elements are necessary and sufficient for basal and pheromone-induced transcription of the FUS1 gene of *Saccharomyces cerevisiae*." *Mol Cell Biol* **11**(6): 2952-2961.
67. Hahn JS, Thiele DJ (2004). "Activation of the *Saccharomyces cerevisiae* heat shock transcription factor under glucose starvation conditions by Snf1 protein kinase." *J Biol Chem* **279**(7): 5169-5176.
68. Harashima T, Heitman J (2002). "The Galpha protein Gpa2 controls yeast differentiation by interacting with kelch repeat proteins that mimic Gbeta subunits." *Mol Cell* **10**(1): 163-173.
69. Heinisch JJ, Lorberg A, Schmitz HP, Jacoby JJ (1999). "The protein kinase C-mediated MAP kinase pathway involved in the maintenance of cellular integrity in *Saccharomyces cerevisiae*." *Mol Microbiol* **32**(4): 671-680.
70. Helliwell SB, Schmidt A, Ohya Y, Hall MN (1998). "The Rho1 effector Pkc1, but not Bni1, mediates signalling from Tor2 to the actin cytoskeleton." *Curr Biol* **8**(22): 1211-1214.
71. Herman PK, Stack JH, Emr SD (1991). "A genetic and structural analysis of the yeast Vps15 protein kinase: evidence for a direct role of Vps15p in vacuolar protein delivery." *Embo J* **10**(13): 4049-4060.
72. Hicke L, Zanolari B, Riezman H (1998). "Cytoplasmic tail phosphorylation of the alpha-factor receptor is required for its ubiquitination and internalization." *J Cell Biol* **141**(2): 349-358.
73. Hirano H, Tanaka K, Ozaki K, Imamura H, Kohno H, Hihara T, Kameyama T, Hotta K, Arisawa M, Watanabe T, Qadota H, Ohya Y, Takai Y (1996). "ROM7/BEM4 encodes a novel protein that interacts with the Rho1p small GTP-binding protein in *Saccharomyces cerevisiae*." *Mol Cell Biol* **16**(8): 4396-4403.
74. Hirayama T, Maeda T, Saito H, Shinozaki K (1995). "Cloning and characterization of seven cDNAs for hyperosmolarity-responsive (HOR) genes of *Saccharomyces cerevisiae*." *Mol Gen Genet* **249**(2): 127-138.
75. Hohmann S (2002a). "Osmotic adaptation in yeast--control of the yeast osmolyte system." *Int Rev Cytol* **215**: 149-187.

76. Hohmann S (2002b). "Osmotic stress signaling and osmoadaptation in yeasts." *Microbiol Mol Biol Rev* **66**(2): 300-372.
77. Holst B, Lunde C, Lages F, Oliveira R, Lucas C, Kielland-Brandt MC (2000). "GUP1 and its close homologue GUP2, encoding multimembrane-spanning proteins involved in active glycerol uptake in *Saccharomyces cerevisiae*." *Mol Microbiol* **37**(1): 108-124.
78. Hung W, Olson KA, Breitzkreutz A, Sadowski I (1997). "Characterization of the basal and pheromone-stimulated phosphorylation states of Ste12p." *Eur J Biochem* **245**(2): 241-251.
79. Iida H, Nakamura H, Ono T, Okumura MS, Anraku Y (1994). "MID1, a novel *Saccharomyces cerevisiae* gene encoding a plasma membrane protein, is required for Ca<sup>2+</sup> influx and mating." *Mol Cell Biol* **14**(12): 8259-8271.
80. Iida H, Yagawa Y, Anraku Y (1990). "Essential role for induced Ca<sup>2+</sup> influx followed by [Ca<sup>2+</sup>]<sub>i</sub> rise in maintaining viability of yeast cells late in the mating pheromone response pathway. A study of [Ca<sup>2+</sup>]<sub>i</sub> in single *Saccharomyces cerevisiae* cells with imaging of fura-2." *J Biol Chem* **265**(22): 13391-13399.
81. Imamura H, Tanaka K, Hihara T, Umikawa M, Kamei T, Takahashi K, Sasaki T, Takai Y (1997). "Bni1p and Bnr1p: downstream targets of the Rho family small G-proteins which interact with profilin and regulate actin cytoskeleton in *Saccharomyces cerevisiae*." *Embo J* **16**(10): 2745-2755.
82. Inoue Y, Tsujimoto Y, Kimura A (1998). "Expression of the glyoxalase I gene of *Saccharomyces cerevisiae* is regulated by high osmolarity glycerol mitogen-activated protein kinase pathway in osmotic stress response." *J Biol Chem* **273**(5): 2977-2983.
83. Inouye C, Dhillon N, Durfee T, Zambryski PC, Thorner J (1997a). "Mutational analysis of STE5 in the yeast *Saccharomyces cerevisiae*: application of a differential interaction trap assay for examining protein-protein interactions." *Genetics* **147**(2): 479-492.
84. Inouye C, Dhillon N, Thorner J (1997b). "Ste5 RING-H2 domain: role in Ste4-promoted oligomerization for yeast pheromone signaling." *Science* **278**(5335): 103-106.
85. Jacinto E, Guo B, Arndt KT, Schmelzle T, Hall MN (2001). "TIP41 interacts with TAP42 and negatively regulates the TOR signaling pathway." *Mol Cell* **8**(5): 1017-1026.
86. Jacoby T, Flanagan H, Faykin A, Seto AG, Mattison C, Ota I (1997). "Two protein-tyrosine phosphatases inactivate the osmotic stress response pathway in yeast by targeting the mitogen-activated protein kinase, Hog1." *J Biol Chem* **272**(28): 17749-17755.
87. Janiak-Spens F, Sparling DP, West AH (2000). "Novel role for an HPt domain in stabilizing the phosphorylated state of a response regulator domain." *J Bacteriol* **182**(23): 6673-6678.
88. Jaquenoud M, Gulli MP, Peter K, Peter M (1998). "The Cdc42p effector Gic2p is targeted for ubiquitin-dependent degradation by the SCFGrr1 complex." *Embo J* **17**(18): 5360-5373.
89. Jiang Y, Broach JR (1999). "Tor proteins and protein phosphatase 2A reciprocally regulate Tap42 in controlling cell growth in yeast." *Embo J* **18**(10): 2782-2792.
90. Johnson DI (1999). "Cdc42: An essential Rho-type GTPase controlling eukaryotic cell polarity." *Microbiol Mol Biol Rev* **63**(1): 54-105.
91. Johnston M, Kim JH (2005). "Glucose as a hormone: receptor-mediated glucose sensing in the

- yeast *Saccharomyces cerevisiae*." *Biochem Soc Trans* **33**(Pt 1): 247-252.
92. Kamada Y, Funakoshi T, Shintani T, Nagano K, Ohsumi M, Ohsumi Y (2000). "Tor-mediated induction of autophagy via an Apg1 protein kinase complex." *J Cell Biol* **150**(6): 1507-1513.
  93. Kamada Y, Qadota H, Python CP, Anraku Y, Ohya Y, Levin DE (1996). "Activation of yeast protein kinase C by Rho1 GTPase." *J Biol Chem* **271**(16): 9193-9196.
  94. Kaniak A, Xue Z, Macool D, Kim JH, Johnston M (2004). "Regulatory network connecting two glucose signal transduction pathways in *Saccharomyces cerevisiae*." *Eukaryot Cell* **3**(1): 221-231.
  95. Kao LR, Peterson J, Ji R, Bender L, Bender A (1996). "Interactions between the ankyrin repeat-containing protein Akr1p and the pheromone response pathway in *Saccharomyces cerevisiae*." *Mol Cell Biol* **16**(1): 168-178.
  96. Ketela T, Green R, Bussey H (1999). "*Saccharomyces cerevisiae* mid2p is a potential cell wall stress sensor and upstream activator of the PKC1-MPK1 cell integrity pathway." *J Bacteriol* **181**(11): 3330-3340.
  97. Kihara A, Noda T, Ishihara N, Ohsumi Y (2001). "Two distinct Vps34 phosphatidylinositol 3-kinase complexes function in autophagy and carboxypeptidase Y sorting in *Saccharomyces cerevisiae*." *J Cell Biol* **152**(3): 519-530.
  98. Kingsbury TJ, Cunningham KW (2000). "A conserved family of calcineurin regulators." *Genes Dev* **14**(13): 1595-1604.
  99. Kirisako T, Ichimura Y, Okada H, Kabeya Y, Mizushima N, Yoshimori T, Ohsumi M, Takao T, Noda T, Ohsumi Y (2000). "The reversible modification regulates the membrane-binding state of Apg8/Aut7 essential for autophagy and the cytoplasm to vacuole targeting pathway." *J Cell Biol* **151**(2): 263-276.
  100. Kirkman-Correia C, Stroke IL, Fields S (1993). "Functional domains of the yeast STE12 protein, a pheromone-responsive transcriptional activator." *Mol Cell Biol* **13**(6): 3765-3772.
  101. Kishi T, Seno T, Yamao F (1998). "Grr1 functions in the ubiquitin pathway in *Saccharomyces cerevisiae* through association with Skp1." *Mol Gen Genet* **257**(2): 143-148.
  102. Klis FM, Mol P, Hellingwerf K, Brul S (2002). "Dynamics of cell wall structure in *Saccharomyces cerevisiae*." *FEMS Microbiol Rev* **26**(3): 239-256.
  103. Kohler T, Wesche S, Taheri N, Braus GH, Mosch HU (2002). "Dual role of the *Saccharomyces cerevisiae* TEA/ATTS family transcription factor Tec1p in regulation of gene expression and cellular development." *Eukaryot Cell* **1**(5): 673-686.
  104. Kohno H, Tanaka K, Mino A, Umikawa M, Imamura H, Fujiwara T, Fujita Y, Hotta K, Qadota H, Watanabe T, Ohya Y, Takai Y (1996). "Bni1p implicated in cytoskeletal control is a putative target of Rho1p small GTP binding protein in *Saccharomyces cerevisiae*." *Embo J* **15**(22): 6060-6068.
  105. Krems B, Charizanis C, Entian KD (1996). "The response regulator-like protein Pos9/Skn7 of *Saccharomyces cerevisiae* is involved in oxidative stress resistance." *Curr Genet* **29**(4): 327-334.
  106. Kubler E, Mosch HU, Rupp S, Lisanti MP (1997). "Gpa2p, a G-protein alpha-subunit, regulates

- growth and pseudohyphal development in *Saccharomyces cerevisiae* via a cAMP-dependent mechanism." *J Biol Chem* **272**(33): 20321-20323.
107. Kulkarni AA, Abul-Hamd AT, Rai R, El Berry H, Cooper TG (2001). "Gln3p nuclear localization and interaction with Ure2p in *Saccharomyces cerevisiae*." *J Biol Chem* **276**(34): 32136-32144.
108. Kuma A, Mizushima N, Ishihara N, Ohsumi Y (2002). "Formation of the approximately 350-kDa Apg12-Apg5-Apg16 multimeric complex, mediated by Apg16 oligomerization, is essential for autophagy in yeast." *J Biol Chem* **277**(21): 18619-18625.
109. Larsson K, Ansell R, Eriksson P, Adler L (1993). "A gene encoding sn-glycerol 3-phosphate dehydrogenase (NAD<sup>+</sup>) complements an osmosensitive mutant of *Saccharomyces cerevisiae*." *Mol Microbiol* **10**(5): 1101-1111.
110. Leberer E, Dignard D, H Marcus D, Thomas DY, Whiteway M (1992). "The protein kinase homologue Ste20p is required to link the yeast pheromone response G-protein beta gamma subunits to downstream signalling components." *Embo J* **11**(13): 4815-4824.
111. Leberer E, Dignard D, Thomas DY, Leeuw T (2000). "A conserved Gbeta binding (GBB) sequence motif in Ste20p/PAK family protein kinases." *Biol Chem* **381**(5-6): 427-431.
112. Lee J, Godon C, Lagniel G, Spector D, Garin J, Labarre J, Toledano MB (1999). "Yap1 and Skn7 control two specialized oxidative stress response regulons in yeast." *J Biol Chem* **274**(23): 16040-16046.
113. Lee KS, Irie K, Gotoh Y, Watanabe Y, Araki H, Nishida E, Matsumoto K, Levin DE (1993). "A yeast mitogen-activated protein kinase homolog (Mpk1p) mediates signalling by protein kinase C." *Mol Cell Biol* **13**(5): 3067-3075.
114. Lee TI, Rinaldi NJ, Robert F, Odom DT, Bar-Joseph Z, Gerber GK, Hannett NM, Harbison CT, Thompson CM, Simon I, Zeitlinger J, Jennings EG, Murray HL, Gordon DB, Ren B, Wyrick JJ, Tagne JB, Volkert TL, Fraenkel E, Gifford DK, Young RA (2002). "Transcriptional regulatory networks in *Saccharomyces cerevisiae*." *Science* **298**(5594): 799-804.
115. Leeuw T, Fourest-Lieuvin A, Wu C, Chenevert J, Clark K, Whiteway M, Thomas DY, Leberer E (1995). "Pheromone response in yeast: association of Bem1p with proteins of the MAP kinase cascade and actin." *Science* **270**(5239): 1210-1213.
116. Leeuw T, Wu C, Schrag JD, Whiteway M, Thomas DY, Leberer E (1998). "Interaction of a G-protein beta-subunit with a conserved sequence in Ste20/PAK family protein kinases." *Nature* **391**(6663): 191-195.
117. Levin DE, Bowers B, Chen CY, Kamada Y, Watanabe M (1994). "Dissecting the protein kinase C/MAP kinase signalling pathway of *Saccharomyces cerevisiae*." *Cell Mol Biol Res* **40**(3): 229-239.
118. Li FN, Johnston M (1997). "Grr1 of *Saccharomyces cerevisiae* is connected to the ubiquitin proteolysis machinery through Skp1: coupling glucose sensing to gene expression and the cell cycle." *Embo J* **16**(18): 5629-5638.
119. Li S, Ault A, Malone CL, Raitt D, Dean S, Johnston LH, Deschenes RJ, Fassler JS (1998). "The yeast histidine protein kinase, Sln1p, mediates phosphotransfer to two response regulators,

- Ssk1p and Skn7p." *Embo J* **17**(23): 6952-6962.
120. Loomis WF, Shaulsky G, Wang N (1997). "Histidine kinases in signal transduction pathways of eukaryotes." *J Cell Sci* **110** ( Pt 10): 1141-1145.
  121. Lorenz MC, Heitman J (1997). "Yeast pseudohyphal growth is regulated by GPA2, a G protein alpha homolog." *Embo J* **16**(23): 7008-7018.
  122. Lorenz MC, Heitman J (1998). "The MEP2 ammonium permease regulates pseudohyphal differentiation in *Saccharomyces cerevisiae*." *Embo J* **17**(5): 1236-1247.
  123. Luke MM, Della Seta F, Di Como CJ, Sugimoto H, Kobayashi R, Arndt KT (1996). "The SAP, a new family of proteins, associate and function positively with the SIT4 phosphatase." *Mol Cell Biol* **16**(6): 2744-2755.
  124. Lyons DM, Mahanty SK, Choi KY, Manandhar M, Elion EA (1996). "The SH3-domain protein Bem1 coordinates mitogen-activated protein kinase cascade activation with cell cycle control in *Saccharomyces cerevisiae*." *Mol Cell Biol* **16**(8): 4095-4106.
  125. Ma D, Cook JG, Thorner J (1995). "Phosphorylation and localization of Kss1, a MAP kinase of the *Saccharomyces cerevisiae* pheromone response pathway." *Mol Biol Cell* **6**(7): 889-909.
  126. Maeda T, Takekawa M, Saito H (1995). "Activation of yeast PBS2 MAPKK by MAPKKs or by binding of an SH3-containing osmosensor." *Science* **269**(5223): 554-558.
  127. Maeda T, Wurgler-Murphy SM, Saito H (1994). "A two-component system that regulates an osmosensing MAP kinase cascade in yeast." *Nature* **369**(6477): 242-245.
  128. Manser E, Leung T, Salihuddin H, Zhao ZS, Lim L (1994). "A brain serine/threonine protein kinase activated by Cdc42 and Rac1." *Nature* **367**(6458): 40-46.
  129. Mapes J, Ota IM (2004). "Nbp2 targets the Ptc1-type 2C Ser/Thr phosphatase to the HOG MAPK pathway." *Embo J* **23**(2): 302-311.
  130. Marcus S, Polverino A, Barr M, Wigler M (1994). "Complexes between STE5 and components of the pheromone-responsive mitogen-activated protein kinase module." *Proc Natl Acad Sci U S A* **91**(16): 7762-7766.
  131. Marini AM, Soussi-Boudekou S, Vissers S, Andre B (1997). "A family of ammonium transporters in *Saccharomyces cerevisiae*." *Mol Cell Biol* **17**(8): 4282-4293.
  132. Marquitz AR, Harrison JC, Bose I, Zyla TR, McMillan JN, Lew DJ (2002). "The Rho-GAP Bem2p plays a GAP-independent role in the morphogenesis checkpoint." *Embo J* **21**(15): 4012-4025.
  133. Masuda T, Tanaka K, Nonaka H, Yamochi W, Maeda A, Takai Y (1994). "Molecular cloning and characterization of yeast rho GDP dissociation inhibitor." *J Biol Chem* **269**(31): 19713-19718.
  134. Matsuura A, Tsukada M, Wada Y, Ohsumi Y (1997). "Apg1p, a novel protein kinase required for the autophagic process in *Saccharomyces cerevisiae*." *Gene* **192**(2): 245-250.
  135. Mattison CP, Ota IM (2000). "Two protein tyrosine phosphatases, Ptp2 and Ptp3, modulate the subcellular localization of the Hog1 MAP kinase in yeast." *Genes Dev* **14**(10): 1229-1235.
  136. Mattison CP, Spencer SS, Kresge KA, Lee J, Ota IM (1999). "Differential regulation of the cell wall integrity mitogen-activated protein kinase pathway in budding yeast by the protein tyrosine

- phosphatases Ptp2 and Ptp3." *Mol Cell Biol* **19**(11): 7651-7660.
137. Millar JB (1999). "Stress-activated MAP kinase (mitogen-activated protein kinase) pathways of budding and fission yeasts." *Biochem Soc Symp* **64**: 49-62.
138. Mizuno T (1998). "His-Asp phosphotransfer signal transduction." *J Biochem (Tokyo)* **123**(4): 555-563.
139. Morgan BA, Banks GR, Toone WM, Raitt D, Kuge S, Johnston LH (1997). "The Skn7 response regulator controls gene expression in the oxidative stress response of the budding yeast *Saccharomyces cerevisiae*." *Embo J* **16**(5): 1035-1044.
140. Moriya H, Johnston M (2004). "Glucose sensing and signaling in *Saccharomyces cerevisiae* through the Rgt2 glucose sensor and casein kinase I." *Proc Natl Acad Sci U S A* **101**(6): 1572-1577.
141. Moser MJ, Geiser JR, Davis TN (1996). "Ca<sup>2+</sup>-calmodulin promotes survival of pheromone-induced growth arrest by activation of calcineurin and Ca<sup>2+</sup>-calmodulin-dependent protein kinase." *Mol Cell Biol* **16**(9): 4824-4831.
142. Moskow JJ, Gladfelter AS, Lamson RE, Pryciak PM, Lew DJ (2000). "Role of Cdc42p in pheromone-stimulated signal transduction in *Saccharomyces cerevisiae*." *Mol Cell Biol* **20**(20): 7559-7571.
143. Mukai Y, Harashima S, Oshima Y (1993). "Function of the ste signal transduction pathway for mating pheromones sustains MAT alpha 1 transcription in *Saccharomyces cerevisiae*." *Mol Cell Biol* **13**(4): 2050-2060.
144. Muller EM, Locke EG, Cunningham KW (2001). "Differential regulation of two Ca<sup>2+</sup> influx systems by pheromone signaling in *Saccharomyces cerevisiae*." *Genetics* **159**(4): 1527-1538.
145. Neiman AM, Herskowitz I (1994). "Reconstitution of a yeast protein kinase cascade in vitro: activation of the yeast MEK homologue STE7 by STE11." *Proc Natl Acad Sci U S A* **91**(8): 3398-3402.
146. Nern A, Arkowitz RA (1999). "A Cdc24p-Far1p-Gbetagamma protein complex required for yeast orientation during mating." *J Cell Biol* **144**(6): 1187-1202.
147. Nonaka H, Tanaka K, Hirano H, Fujiwara T, Kohno H, Umikawa M, Mino A, Takai Y (1995). "A downstream target of RHO1 small GTP-binding protein is PKC1, a homolog of protein kinase C, which leads to activation of the MAP kinase cascade in *Saccharomyces cerevisiae*." *Embo J* **14**(23): 5931-5938.
148. Norbeck J, Blomberg A (1997). "Metabolic and regulatory changes associated with growth of *Saccharomyces cerevisiae* in 1.4 M NaCl. Evidence for osmotic induction of glycerol dissimilation via the dihydroxyacetone pathway." *J Biol Chem* **272**(9): 5544-5554.
149. Norbeck J, Pahlman AK, Akhtar N, Blomberg A, Adler L (1996). "Purification and characterization of two isoenzymes of DL-glycerol-3-phosphatase from *Saccharomyces cerevisiae*. Identification of the corresponding GPP1 and GPP2 genes and evidence for osmotic regulation of Gpp2p expression by the osmosensing mitogen-activated protein kinase signal transduction pathway." *J Biol Chem* **271**(23): 13875-13881.
150. Oehlen L, Cross FR (1998a). "The mating factor response pathway regulates transcription of

- TEC1, a gene involved in pseudohyphal differentiation of *Saccharomyces cerevisiae*." *FEBS Lett* **429**(1): 83-88.
151. Oehlen LJ, Cross FR (1998b). "Potential regulation of Ste20 function by the Cln1-Cdc28 and Cln2-Cdc28 cyclin-dependent protein kinases." *J Biol Chem* **273**(39): 25089-25097.
152. Oehlen LJ, McKinney JD, Cross FR (1996). "Ste12 and Mcm1 regulate cell cycle-dependent transcription of FAR1." *Mol Cell Biol* **16**(6): 2830-2837.
153. Ohsumi Y (2001). "Molecular dissection of autophagy: two ubiquitin-like systems." *Nat Rev Mol Cell Biol* **2**(3): 211-216.
154. Olson KA, Nelson C, Tai G, Hung W, Yong C, Astell C, Sadowski I (2000). "Two regulators of Ste12p inhibit pheromone-responsive transcription by separate mechanisms." *Mol Cell Biol* **20**(12): 4199-4209.
155. O'Rourke SM, Herskowitz I, O'Shea EK (2002). "Yeast go the whole HOG for the hyperosmotic response." *Trends Genet* **18**(8): 405-412.
156. Ostrander DB, Gorman JA (1999). "The extracellular domain of the *Saccharomyces cerevisiae* Sln1p membrane osmolarity sensor is necessary for kinase activity." *J Bacteriol* **181**(8): 2527-2534.
157. Ozaki K, Tanaka K, Imamura H, Hihara T, Kameyama T, Nonaka H, Hirano H, Matsuura Y, Takai Y (1996). "Rom1p and Rom2p are GDP/GTP exchange proteins (GEPs) for the Rho1p small GTP binding protein in *Saccharomyces cerevisiae*." *Embo J* **15**(9): 2196-2207.
158. Ozcan S, Dover J, Rosenwald AG, Wolfl S, Johnston M (1996). "Two glucose transporters in *Saccharomyces cerevisiae* are glucose sensors that generate a signal for induction of gene expression." *Proc Natl Acad Sci U S A* **93**(22): 12428-12432.
159. Pahlman AK, Granath K, Ansell R, Hohmann S, Adler L (2001). "The yeast glycerol 3-phosphatases Gpp1p and Gpp2p are required for glycerol biosynthesis and differentially involved in the cellular responses to osmotic, anaerobic, and oxidative stress." *J Biol Chem* **276**(5): 3555-3563.
160. Pan X, Heitman J (1999). "Cyclic AMP-dependent protein kinase regulates pseudohyphal differentiation in *Saccharomyces cerevisiae*." *Mol Cell Biol* **19**(7): 4874-4887.
161. Paravicini G, Friedli L (1996). "Protein-protein interactions in the yeast PKC1 pathway: Pkc1p interacts with a component of the MAP kinase cascade." *Mol Gen Genet* **251**(6): 682-691.
162. Park HO, Bi E, Pringle JR, Herskowitz I (1997). "Two active states of the Ras-related Bud1/Rsr1 protein bind to different effectors to determine yeast cell polarity." *Proc Natl Acad Sci U S A* **94**(9): 4463-4468.
163. Pascual-Ahuir A, Serrano R, Proft M (2001). "The Sko1p repressor and Gcn4p activator antagonistically modulate stress-regulated transcription in *Saccharomyces cerevisiae*." *Mol Cell Biol* **21**(1): 16-25.
164. Patton EE, Willems AR, Sa D, Kuras L, Thomas D, Craig KL, Tyers M (1998). "Cdc53 is a scaffold protein for multiple Cdc34/Skp1/F-box protein complexes that regulate cell division and methionine biosynthesis in yeast." *Genes Dev* **12**(5): 692-705.
165. Pavlik P, Simon M, Schuster T, Ruis H (1993). "The glycerol kinase (GUT1) gene of

- Saccharomyces cerevisiae: cloning and characterization." *Curr Genet* **24**(1-2): 21-25.
166. Philip B, Levin DE (2001). "Wsc1 and Mid2 are cell surface sensors for cell wall integrity signaling that act through Rom2, a guanine nucleotide exchange factor for Rho1." *Mol Cell Biol* **21**(1): 271-280.
167. Polizotto RS, Cyert MS (2001). "Calcineurin-dependent nuclear import of the transcription factor Crz1p requires Nmd5p." *J Cell Biol* **154**(5): 951-960.
168. Posas F, Chambers JR, Heyman JA, Hoeffler JP, de Nadal E, Arino J (2000). "The transcriptional response of yeast to saline stress." *J Biol Chem* **275**(23): 17249-17255.
169. Posas F, Saito H (1997). "Osmotic activation of the HOG MAPK pathway via Ste11p MAPKKK: scaffold role of Pbs2p MAPKK." *Science* **276**(5319): 1702-1705.
170. Posas F, Saito H (1998a). "Activation of the yeast SSK2 MAP kinase kinase by the SSK1 two-component response regulator." *Embo J* **17**(5): 1385-1394.
171. Posas F, Witten EA, Saito H (1998b). "Requirement of STE50 for osmostress-induced activation of the STE11 mitogen-activated protein kinase kinase in the high-osmolarity glycerol response pathway." *Mol Cell Biol* **18**(10): 5788-5796.
172. Posas F, Wurgler-Murphy SM, Maeda T, Witten EA, Thai TC, Saito H (1996). "Yeast HOG1 MAP kinase cascade is regulated by a multistep phosphorelay mechanism in the SLN1-YPD1-SSK1 "two-component" osmosensor." *Cell* **86**(6): 865-875.
173. Primig M, Winkler H, Ammerer G (1991). "The DNA binding and oligomerization domain of MCM1 is sufficient for its interaction with other regulatory proteins." *Embo J* **10**(13): 4209-4218.
174. Printen JA, Sprague GF, Jr. (1994). "Protein-protein interactions in the yeast pheromone response pathway: Ste5p interacts with all members of the MAP kinase cascade." *Genetics* **138**(3): 609-619.
175. Proft M, Pascual-Ahuir A, de Nadal E, Arino J, Serrano R, Posas F (2001). "Regulation of the Sko1 transcriptional repressor by the Hog1 MAP kinase in response to osmotic stress." *Embo J* **20**(5): 1123-1133.
176. Proft M, Serrano R (1999). "Repressors and upstream repressing sequences of the stress-regulated ENA1 gene in Saccharomyces cerevisiae: bZIP protein Sko1p confers HOG-dependent osmotic regulation." *Mol Cell Biol* **19**(1): 537-546.
177. Pryciak PM, Hartwell LH (1996). "AKR1 encodes a candidate effector of the G beta gamma complex in the Saccharomyces cerevisiae pheromone response pathway and contributes to control of both cell shape and signal transduction." *Mol Cell Biol* **16**(6): 2614-2626.
178. Raitt DC, Johnson AL, Erkin AM, Makino K, Morgan B, Gross DS, Johnston LH (2000a). "The Skn7 response regulator of Saccharomyces cerevisiae interacts with Hsf1 in vivo and is required for the induction of heat shock genes by oxidative stress." *Mol Biol Cell* **11**(7): 2335-2347.
179. Raitt DC, Posas F, Saito H (2000b). "Yeast Cdc42 GTPase and Ste20 PAK-like kinase regulate Sho1-dependent activation of the Hog1 MAPK pathway." *Embo J* **19**(17): 4623-4631.
180. Rajavel M, Philip B, Buehrer BM, Errede B, Levin DE (1999). "Mid2 is a putative sensor for

- cell integrity signaling in *Saccharomyces cerevisiae*." *Mol Cell Biol* **19**(6): 3969-3976.
181. Ramer SW, Davis RW (1993). "A dominant truncation allele identifies a gene, STE20, that encodes a putative protein kinase necessary for mating in *Saccharomyces cerevisiae*." *Proc Natl Acad Sci U S A* **90**(2): 452-456.
182. Ramezani-Rad M (2003). "The role of adaptor protein Ste50-dependent regulation of the MAPKKK Ste11 in multiple signalling pathways of yeast." *Curr Genet* **43**(3): 161-170.
183. Reiser V, Ruis H, Ammerer G (1999). "Kinase activity-dependent nuclear export opposes stress-induced nuclear accumulation and retention of Hog1 mitogen-activated protein kinase in the budding yeast *Saccharomyces cerevisiae*." *Mol Biol Cell* **10**(4): 1147-1161.
184. Reiser V, Salah SM, Ammerer G (2000). "Polarized localization of yeast Pbs2 depends on osmotic stress, the membrane protein Sho1 and Cdc42." *Nat Cell Biol* **2**(9): 620-627.
185. Ren B, Robert F, Wyrick JJ, Aparicio O, Jennings EG, Simon I, Zeitlinger J, Schreiber J, Hannett N, Kanin E, Volkert TL, Wilson CJ, Bell SP, Young RA (2000). "Genome-wide location and function of DNA binding proteins." *Science* **290**(5500): 2306-2309.
186. Rep M, Krantz M, Thevelein JM, Hohmann S (2000). "The transcriptional response of *Saccharomyces cerevisiae* to osmotic shock. Hot1p and Msn2p/Msn4p are required for the induction of subsets of high osmolarity glycerol pathway-dependent genes." *J Biol Chem* **275**(12): 8290-8300.
187. Rep M, Reiser V, Gartner U, Thevelein JM, Hohmann S, Ammerer G, Ruis H (1999). "Osmotic stress-induced gene expression in *Saccharomyces cerevisiae* requires Msn1p and the novel nuclear factor Hot1p." *Mol Cell Biol* **19**(8): 5474-5485.
188. Robinson NG, Guo L, Imai J, Toh EA, Matsui Y, Tamanoi F (1999). "Rho3 of *Saccharomyces cerevisiae*, which regulates the actin cytoskeleton and exocytosis, is a GTPase which interacts with Myo2 and Exo70." *Mol Cell Biol* **19**(5): 3580-3587.
189. Ronnow B, Kielland-Brandt MC (1993). "GUT2, a gene for mitochondrial glycerol 3-phosphate dehydrogenase of *Saccharomyces cerevisiae*." *Yeast* **9**(10): 1121-1130.
190. Rudolph HK, Antebi A, Fink GR, Buckley CM, Dorman TE, LeVitre J, Davidow LS, Mao JJ, Moir DT (1989). "The yeast secretory pathway is perturbed by mutations in PMR1, a member of a Ca<sup>2+</sup> ATPase family." *Cell* **58**(1): 133-145.
191. Rusnak F, Mertz P (2000). "Calcineurin: form and function." *Physiol Rev* **80**(4): 1483-1521.
192. Saito H, Tatebayashi K (2004). "Regulation of the osmoregulatory HOG MAPK cascade in yeast." *J Biochem (Tokyo)* **136**(3): 267-272.
193. Santos JL, Shiozaki K (2001). "Fungal histidine kinases." *Sci STKE* **2001**(98): RE1.
194. Sass P, Field J, Nikawa J, Toda T, Wigler M (1986). "Cloning and characterization of the high-affinity cAMP phosphodiesterase of *Saccharomyces cerevisiae*." *Proc Natl Acad Sci U S A* **83**(24): 9303-9307.
195. Sato N, Kawahara H, Toh-e A, Maeda T (2003). "Phosphorelay-regulated degradation of the yeast Ssk1p response regulator by the ubiquitin-proteasome system." *Mol Cell Biol* **23**(18): 6662-6671.
196. Schmidt A, Bickle M, Beck T, Hall MN (1997). "The yeast phosphatidylinositol kinase

- homolog TOR2 activates RHO1 and RHO2 via the exchange factor ROM2." *Cell* **88**(4): 531-542.
197. Schmidt A, Hall MN (1998). "Signaling to the actin cytoskeleton." *Annu Rev Cell Dev Biol* **14**: 305-338.
198. Schmidt MC, McCartney RR, Zhang X, Tillman TS, Solimeo H, Wolfl S, Almonte C, Watkins SC (1999). "Std1 and Mth1 proteins interact with the glucose sensors to control glucose-regulated gene expression in *Saccharomyces cerevisiae*." *Mol Cell Biol* **19**(7): 4561-4571.
199. Schnell JD, Hicke L (2003). "Non-traditional functions of ubiquitin and ubiquitin-binding proteins." *J Biol Chem* **278**(38): 35857-35860.
200. Schuller HJ (2003). "Transcriptional control of nonfermentative metabolism in the yeast *Saccharomyces cerevisiae*." *Curr Genet* **43**(3): 139-160.
201. Scott SV, Nice DC, 3rd, Nau JJ, Weisman LS, Kamada Y, Keizer-Gunnink I, Funakoshi T, Veenhuis M, Ohsumi Y, Klionsky DJ (2000). "Apg13p and Vac8p are part of a complex of phosphoproteins that are required for cytoplasm to vacuole targeting." *J Biol Chem* **275**(33): 25840-25849.
202. Sekito T, Liu Z, Thornton J, Butow RA (2002). "RTG-dependent mitochondria-to-nucleus signaling is regulated by MKS1 and is linked to formation of yeast prion [URE3]." *Mol Biol Cell* **13**(3): 795-804.
203. Sekiya-Kawasaki M, Abe M, Saka A, Watanabe D, Kono K, Minemura-Asakawa M, Ishihara S, Watanabe T, Ohya Y (2002). "Dissection of upstream regulatory components of the Rho1p effector, 1,3-beta-glucan synthase, in *Saccharomyces cerevisiae*." *Genetics* **162**(2): 663-676.
204. Sette C, Inouye CJ, Stroschein SL, Iaquinta PJ, Thorner J (2000). "Mutational analysis suggests that activation of the yeast pheromone response mitogen-activated protein kinase pathway involves conformational changes in the Ste5 scaffold protein." *Mol Biol Cell* **11**(11): 4033-4049.
205. Shimada Y, Gulli MP, Peter M (2000). "Nuclear sequestration of the exchange factor Cdc24 by Far1 regulates cell polarity during yeast mating." *Nat Cell Biol* **2**(2): 117-124.
206. Simon MN, De Virgilio C, Souza B, Pringle JR, Abo A, Reed SI (1995). "Role for the Rho-family GTPase Cdc42 in yeast mating-pheromone signal pathway." *Nature* **376**(6542): 702-705.
207. Sinclair D, Mills K, Guarente L (1998). "Aging in *Saccharomyces cerevisiae*." *Annu Rev Microbiol* **52**: 533-560.
208. Sprague GF, Cronan JE (1977). "Isolation and characterization of *Saccharomyces cerevisiae* mutants defective in glycerol catabolism." *J Bacteriol* **129**(3): 1335-1342.
209. Strayle J, Pozzan T, Rudolph HK (1999). "Steady-state free Ca(2+) in the yeast endoplasmic reticulum reaches only 10 microM and is mainly controlled by the secretory pathway pump pmr1." *Embo J* **18**(17): 4733-4743.
210. Svetlov VV, Cooper TG (1998). "The *Saccharomyces cerevisiae* GATA factors Dal80p and Deh1p can form homo- and heterodimeric complexes." *J Bacteriol* **180**(21): 5682-5688.

211. Takai Y, Sasaki T, Tanaka K, Nakanishi H (1995). "Rho as a regulator of the cytoskeleton." *Trends Biochem Sci* **20**(6): 227-231.
212. Tate JJ, Cox KH, Rai R, Cooper TG (2002). "Mks1p is required for negative regulation of retrograde gene expression in *Saccharomyces cerevisiae* but does not affect nitrogen catabolite repression-sensitive gene expression." *J Biol Chem* **277**(23): 20477-20482.
213. Tatebayashi K, Takekawa M, Saito H (2003). "A docking site determining specificity of Pbs2 MAPKK for Ssk2/Ssk22 MAPKKs in the yeast HOG pathway." *Embo J* **22**(14): 3624-3634.
214. Tedford K, Kim S, Sa D, Stevens K, Tyers M (1997). "Regulation of the mating pheromone and invasive growth responses in yeast by two MAP kinase substrates." *Curr Biol* **7**(4): 228-238.
215. Teige M, Scheikl E, Reiser V, Ruis H, Ammerer G (2001). "Rck2, a member of the calmodulin-protein kinase family, links protein synthesis to high osmolarity MAP kinase signaling in budding yeast." *Proc Natl Acad Sci U S A* **98**(10): 5625-5630.
216. Thevelein JM, de Winde JH (1999). "Novel sensing mechanisms and targets for the cAMP-protein kinase A pathway in the yeast *Saccharomyces cerevisiae*." *Mol Microbiol* **33**(5): 904-918.
217. Tisi R, Baldassa S, Belotti F, Martegani E (2002). "Phospholipase C is required for glucose-induced calcium influx in budding yeast." *FEBS Lett* **520**(1-3): 133-138.
218. Toenjes KA, Sawyer MM, Johnson DI (1999). "The guanine-nucleotide-exchange factor Cdc24p is targeted to the nucleus and polarized growth sites." *Curr Biol* **9**(20): 1183-1186.
219. Tomas-Cobos L, Casadome L, Mas G, Sanz P, Posas F (2004). "Expression of the HXT1 low affinity glucose transporter requires the coordinated activities of the HOG and glucose signalling pathways." *J Biol Chem* **279**(21): 22010-22019.
220. Ton VK, Rao R (2004). "Functional expression of heterologous proteins in yeast: insights into Ca<sup>2+</sup> signaling and Ca<sup>2+</sup>-transporting ATPases." *Am J Physiol Cell Physiol* **287**(3): C580-589.
221. Ullman KS, Powers MA, Forbes DJ (1997). "Nuclear export receptors: from importin to exportin." *Cell* **90**(6): 967-970.
222. Verna J, Lodder A, Lee K, Vagts A, Ballester R (1997). "A family of genes required for maintenance of cell wall integrity and for the stress response in *Saccharomyces cerevisiae*." *Proc Natl Acad Sci U S A* **94**(25): 13804-13809.
223. Versele M, de Winde JH, Thevelein JM (1999). "A novel regulator of G protein signalling in yeast, Rgs2, downregulates glucose-activation of the cAMP pathway through direct inhibition of Gpa2." *Embo J* **18**(20): 5577-5591.
224. Versele M, Thorner J (2004). "Septin collar formation in budding yeast requires GTP binding and direct phosphorylation by the PAK, Cla4." *J Cell Biol* **164**(5): 701-715.
225. Wang CW, Klionsky DJ (2003a). "The molecular mechanism of autophagy." *Mol Med* **9**(3-4): 65-76.
226. Wang H, Wang X, Jiang Y (2003b). "Interaction with Tap42 is required for the essential function of Sit4 and type 2A phosphatases." *Mol Biol Cell* **14**(11): 4342-4351.
227. Wang Y, Dohlman HG (2002). "Pheromone-dependent ubiquitination of the mitogen-activated protein kinase kinase Ste7." *J Biol Chem* **277**(18): 15766-15772.

228. Wang Y, Ge Q, Houston D, Thorner J, Errede B, Dohlman HG (2003c). "Regulation of Ste7 ubiquitination by Ste11 phosphorylation and the Skp1-Cullin-F-box complex." *J Biol Chem* **278**(25): 22284-22289.
229. Warmka J, Hanneman J, Lee J, Amin D, Ota I (2001). "Ptc1, a type 2C Ser/Thr phosphatase, inactivates the HOG pathway by dephosphorylating the mitogen-activated protein kinase Hog1." *Mol Cell Biol* **21**(1): 51-60.
230. Whiteway MS, Wu C, Leeuw T, Clark K, Fourest-Lieuvin A, Thomas DY, Leberer E (1995). "Association of the yeast pheromone response G protein beta gamma subunits with the MAP kinase scaffold Ste5p." *Science* **269**(5230): 1572-1575.
231. Winters MJ, Pryciak PM (2005). "Interaction with the SH3 domain protein Bem1 regulates signaling by the *Saccharomyces cerevisiae* p21-activated kinase Ste20." *Mol Cell Biol* **25**(6): 2177-2190.
232. Wu C, Leberer E, Thomas DY, Whiteway M (1999). "Functional characterization of the interaction of Ste50p with Ste11p MAPKKK in *Saccharomyces cerevisiae*." *Mol Biol Cell* **10**(7): 2425-2440.
233. Wurgler-Murphy SM, Maeda T, Witten EA, Saito H (1997a). "Regulation of the *Saccharomyces cerevisiae* HOG1 mitogen-activated protein kinase by the PTP2 and PTP3 protein tyrosine phosphatases." *Mol Cell Biol* **17**(3): 1289-1297.
234. Wurgler-Murphy SM, Saito H (1997b). "Two-component signal transducers and MAPK cascades." *Trends Biochem Sci* **22**(5): 172-176.
235. Yoshimoto H, Saltsman K, Gasch AP, Li HX, Ogawa N, Botstein D, Brown PO, Cyert MS (2002). "Genome-wide analysis of gene expression regulated by the calcineurin/Crz1p signaling pathway in *Saccharomyces cerevisiae*." *J Biol Chem* **277**(34): 31079-31088.
236. Yoshimura H, Tada T, Iida H (2004). "Subcellular localization and oligomeric structure of the yeast putative stretch-activated Ca<sup>2+</sup> channel component Mid1." *Exp Cell Res* **293**(2): 185-195.
237. Young C, Mapes J, Hanneman J, Al-Zarban S, Ota I (2002). "Role of Ptc2 type 2C Ser/Thr phosphatase in yeast high-osmolarity glycerol pathway inactivation." *Eukaryot Cell* **1**(6): 1032-1040.
238. Zhan XL, Deschenes RJ, Guan KL (1997). "Differential regulation of FUS3 MAP kinase by tyrosine-specific phosphatases PTP2/PTP3 and dual-specificity phosphatase MSG5 in *Saccharomyces cerevisiae*." *Genes Dev* **11**(13): 1690-1702.
239. Zhao ZS, Leung T, Manser E, Lim L (1995). "Pheromone signalling in *Saccharomyces cerevisiae* requires the small GTP-binding protein Cdc42p and its activator CDC24." *Mol Cell Biol* **15**(10): 5246-5257.
240. Zheng CF, Guan KL (1994a). "Activation of MEK family kinases requires phosphorylation of two conserved Ser/Thr residues." *Embo J* **13**(5): 1123-1131.
241. Zheng Y, Cerione R, Bender A (1994b). "Control of the yeast bud-site assembly GTPase Cdc42. Catalysis of guanine nucleotide exchange by Cdc24 and stimulation of GTPase activity by Bem3." *J Biol Chem* **269**(4): 2369-2372.
242. Zhou Q, Chen D, Pierstorff E, Luo K (1998). "Transcription elongation factor P-TEFb mediates

- Tat activation of HIV-1 transcription at multiple stages." *Embo J* **17**(13): 3681-3691.
243. Zhou XL, Batiza AF, Loukin SH, Palmer CP, Kung C, Saimi Y (2003). "The transient receptor potential channel on the yeast vacuole is mechanosensitive." *Proc Natl Acad Sci U S A* **100**(12): 7105-7110.